


# End User catalogue



Global Lift Equipment



# Car models

This End User catalogue is intended to show all our standard car models available for GLE's MRL Gearless range.

Our car models have been designed according to the benefits and advantages of our MRL lift range which respects the environment, uses extremely advanced technologically and offers design flexibility, easy installation, perfect assembly and numerous customisation and energy-saving options.

Each of our car models has numerous finishing options, available for walls, ceilings, keypads, displays, handrails, etc.. Furthermore, we always offer the possibility to personalise it according to customer preferences.

All our cars are manufactured in our factory in Spain under the strictest European quality standards.



GLE-Layer



GLE-Mute



GLE-Glass



GLE-Lux



GLE-Outlook



GLE-Cargo



COPs,  
push buttons &  
indicators



Range of  
lifts Gearless  
MRL



# GLE-Layer

---

## **The most competitive solution, with excellent design and quality that facilitate assembly**

The GLE-Layer car is a guaranteed success, as it has been designed to be adapted to any type of building. In addition, it has an extensive range of finishes (both skinplate and stainless steel) and they are perfectly customisable according to customer specifications.

As with all our cars, the GLE-Layer car has been designed in accordance with European Directive 2014/33/UE.

It is an easy-assembly car, with the guarantee and the experience of more than 20 years manufacturing complete lifts.

### **Key Points**

---



- ✓ Wide range of colours
  - ✓ High-quality materials
  - ✓ Easy assembly
  - ✓ Adaptability and versatility
-



## Flooring



FL01. **Black circles** (rubber)



FL02. **Grey night** (rubber)



FL03. **Satinwood** (rubber)




FL06. **Grey circles** (rubber)



FL10. **Granite**




FL11. **Marble white**



FL12. **Marble medium black**


## Ceiling




**Diffuser**  
(suspended fluorescent)  
Stainless steel or black



**Led**  
Stainless steel or white




**Bubble**  
(suspended fluorescent)  
Stainless steel or black




**Aperture**  
(suspended fluorescent)  
Stainless steel or black

## Handrails

Stainless steel.



S1. **Simple EN 81-70**

















S2. **Double EN 81-70**

## Mirrors

- **2/3** (300 mm from floor)
- **1/2**
- **Full-height** (300 mm from floor)

## Walls

SS01. **SB St. steel**SS02. **Linen**SS03. **12LG**SP01. **Turbulence**SP02. **Silver Grey**SP03. **Placid blue**SP04. **Violet tulip**SP05. **Dazzling blue**SP06. **Comfrey**SP07. **Hemlock**SP08. **Freesia**SP09. **Celosia Orange**SP10. **White / cream**SP11. **Radiant orchid**SP12. **Beige**SP13. **Carafe**

## Skirting

Lower: St. steel  
Upper: St. Steel

## Fronts

Stainless steel.





# GLE-Mute

---

## **Robustness, design and quality at its highest level**

A flexible range, adaptable to any building, with robust finishes putting design at the forefront. It has a wide range of laminated coatings and stainless steel finishes giving it walls of the highest level of quality.

It is an unbeatable range in terms of durability and robustness which doesn't neglect the importance of an easy and fast assembly that characterises our lifts.

This car is especially recommended for buildings with high levels of traffic.

Available in accordance with EN81-71 (cat. 1 y cat.2).

### **Key Points**

---



- ✓ Robustness and durability
  - ✓ Flexibility to be adapted to any building
  - ✓ Excellent finishes
  - ✓ Multitude of colours and materials for customisation
-

## Flooring




FL01. **Black circles** (rubber)



FL02. **Grey night** (rubber)



FL03. **Satinwood** (rubber)




FL06. **Grey circles** (rubber)



FL10. **Granite**




FL11. **Marble white**



FL12. **Marble medium black**


## Ceiling




**Diffuser**  
(suspended fluorescent)  
Stainless steel or black



**Led**  
Stainless steel or white




**Bubble**  
(suspended fluorescent)  
Stainless steel or black




**Aperture**  
(suspended fluorescent)  
Stainless steel or black

## Handrails



S1. **Simple EN 81-70**



S2. **Double EN 81-70**


## Mirrors

- **2/3** (300 mm from floor)
- **1/2**
- **Full-height** (300 mm from floor)


Walls



SS01. SB St. steel



SS02. Linen



SS03. 12LG



LM01. Dark Oak



LM02. Chestnut




LM03. Light Oak




LM04. Walnut




LM05. Redwood




LM06. Light Grey




LM07. Light blue




LM08. Dazzling blue




LM09. Hemlock




LM10. Freesia



LM11. Celosia orange



LM12. Radiant orchid



LM13. Carafe

Skirting

Lower: St. steel  
Upper: St. Steel

Fronts

Stainless steel



# GLE-Glass

---

## Distinguished design in back-coloured glass

Our Glass car combines design, robustness and the finest finishes to offer a distinguished finish at the highest level.

The quality of its finishes is unquestionable, that is topped with bright panels of back-coloured glass in a wide range of colours and textures.

In addition, at GLE we are used to complying with the highest specifications, requirements and expectations from our customers. This is why all our product ranges are prepared to be adapted to any design suggestion, regardless of its complexity.

## Key Points

---



- ✓ Design, flexibility and versatility
  - ✓ Great durability
  - ✓ Wide variety of colours in back-painted glass
  - ✓ Clear lines and finishes
-



## Flooring




FL01. **Black circles** (rubber)



FL02. **Grey night** (rubber)



FL03. **Satinwood** (rubber)




FL06. **Grey circles** (rubber)



FL10. **Granite**




FL11. **Marble white**



FL12. **Marble medium black**


## Ceiling




**Diffuser**  
(suspended fluorescent)  
Stainless steel or black



**Led**  
Stainless steel or white




**Bubble**  
(suspended fluorescent)  
Stainless steel or black




**Aperture**  
(suspended fluorescent)  
Stainless steel or black

## Handrails



S1. **Simple EN 81-70**















S2. **Double EN 81-70**

## Mirrors


- **2/3** (300 mm from floor)
- **1/2**
- **Full-height** (300 mm from floor)

# Walls

SS01. **SB St. steel**SS02. **Linen**SS03. **12LG**5001. **Blue Petrol**7000. **Blue Shadow**7035. **Grey Classic**1604. **Green Pastel**1164. **Green Luminous**1015. **Beige Classic**1023. **Yellow Rich**2001. **Orange Classic**3004. **Red Dark**

# Customisation

At GLE we are well-accustomed to fulfilling the requirements of our customers. As well as offering the wide range of finishes shown in our catalogue, we are also delighted to receive any type of customer proposal, regardless of its complexity. Just send us the details, and we will provide you with a solution. Our technologically-advanced manufacturing process combined with our customer-orientated work ethic allows us to provide solutions at extremely competitive prices.



## Skirting

Lower: St. steel  
Upper: St. Steel

## Fronts

Stainless steel



# GLE-Lux

---

## High-end design with luxury finishes

Luxury and sophistication become real in the design of the GLE-Lux car. These cars provide the building with a comfortable and exclusive space for passenger transport.

The most exclusive and modern finishes using only the finest materials come together in perfect harmony in this unique car design to comply with the most demanding preferences.

All supplied with the guarantee of more than 20 years manufacturing lifts and lift cars under the strictest quality standards.

## Key Points

---



- ✓ Luxury finishes
  - ✓ Many customisation options
  - ✓ The finest materials and sophisticated design
  - ✓ Highly-resistant and durable car interior
-

## Flooring




FL01. **Black circles** (rubber)



FL02. **Grey night** (rubber)



FL03. **Satinwood** (rubber)




FL04. **Silver birch** (rubber)



FL10. **Granite**



FL11. **Marble white**




FL12. **Marble medium black**



FL06. **Grey circles** (rubber)


## Ceiling




**Diffuser**  
(suspended fluorescent)  
Stainless steel or black



**Led**  
Stainless steel or white




**Bubble**  
(suspended fluorescent)  
Stainless steel or black




**Aperture**  
(suspended fluorescent)  
Stainless steel or black

## Handrails



S1. **Simple EN 81-70**



S2. **Double EN 81-70**

## Mirrors





- **2/3** (300 mm from floor)
- **1/2**
- **Full-height** (300 mm from floor)

## Fronts

Stainless steel



# Walls

SS01. **SB St. steel**SS02. **Linen**SS03. **12LG**SS05. **Gold Mirror  
Stainless steel**SS06. **Blue Mirror  
Stainless steel**SS07. **Bronze Mirror  
Stainless steel**LM04. **Wood Walnut  
Laminate**LM05. **Wood Redwood  
Laminate**

# Skirting

(Panels to be fitted horizontally  
on demand)



**Lower in Stainless Steel.  
Upper in Stainless steel**

# Infinite customisation options





# GLE-Outlook

---

## **A range of panoramic cars available for indoor or outdoor installation**

The range of GLE-Outlook cars combines a harmonious and modern design with the greatest functionality.

It is a range of panoramic cars built with stainless steel and glass which provide the car with an open and modern feeling bringing an exclusive finish and many possibilities for finishes.

The electrical part of this lift comes prewired from factory, which helps provide a faster and easier assembly. At GLE, we are experts in supplying glazed cars without frames (double glass) to provide our customers with a clean and timeless design.

In addition, we offer the possibility to develop fully glass cars to be installed both inside and outside buildings.

### **Key Points**

---



- ✓ Functionality and design
  - ✓ Interior and exterior fully glazed cars
  - ✓ Wide range of finishes and decoration options
  - ✓ Timeless design
-

## Flooring




FL01. **Black circles** (rubber)



FL02. **Grey night** (rubber)



FL03. **Satinwood** (rubber)




FL04. **Silver birch** (rubber)



FL10. **Granite**



FL11. **Marble white**




FL12. **Marble medium black**



FL06. **Grey circles** (rubber)


## Ceiling




**Diffuser**  
(suspended fluorescent)  
Stainless steel or black



**Led**  
Stainless steel or white




**Bubble**  
(suspended fluorescent)  
Stainless steel or black




**Aperture**  
(suspended fluorescent)  
Stainless steel or black


## Handrails



S1. **Simple EN 81-70**





S2. **Double EN 81-70**



S3. **Panoramic** (fixed on the floor)









# GLE-Cargo

---

## **Robust and resistant cars for heavy load transportation**

The GLE-Cargo range offers the security and guarantee required to transport goods and heavy loads. The durability, robustness and resistance of our cars has been tested and approved after more than 20 years supplying it to the market with the best feedback.

Our cargo series is reinforced to withstand the toughest working conditions throughout the lift's entire life.

At GLE we use the most appropriate and durable materials to guarantee the resistance to our demanding customers. This is provided without reducing the design and customisation possibilities, as well as the variety of finishes which characterise our firm.

In addition, we offer the option for additional reinforcement with bump-rails (in wood, PVC and stainless steel finishes). These cars are adaptable to EN81-70 and EN81-71 (cat.1 and cat.2) standards, among others.

### **Key Points**

---



- ✓ Excellent protection level
  - ✓ Safe transportation for heavy loads
  - ✓ Wide variety of finishes and customisation options
  - ✓ Guaranteed durability, robustness and strength
-

# Flooring

*Opción: el suelo puede ser adaptado al deseo del cliente.*




FL01. **Black circles** (rubber)



FL02. **Grey night** (rubber)



FL03. **Satinwood** (rubber)



FL04. **Silver birch** (rubber)




FL05. **Alum. checker plate**



FL06. **Grey circles** (rubber)



FL14. **Stainless Steel Grey**



FL15. **Reinforced Stainless**

# Ceiling



GL01. **Stainless steel**  
Fluorescent




G LED. **Stainless steel**




CM. **Stainless steel**  
Fluorescent

# Handrails








S1. **Simple EN 81-70**



S2. **Double EN 81-70**


## Walls

SS01. **SB St. steel**SS02. **Linen**SS03. **12LG**SP01. **Turbulence**  
(powder coated steel)SP02. **Silver Grey**  
(powder coated steel)SP03. **Placid blue**  
(powder coated steel)

## Buffer Rails



PL-MS (Wood)



PL-PVC (Synthetic)



PL-I (Stainless steel)

## Evacuation hatch



Stainless steel

## Mirrors

- **Mirror XL**
- **Mirror XL double**



# Controls and indicators

## Car Operating Panels (COP)

- F** Flush-mounted
- S** Surface-mounted



**COP1. Half height. Wall mounted S**



**COP2. Surface-mounted 3/4 height S**



**COP300. Full-height F**

## Push buttons



**M10**



**M20**



**DMG MACRO**



**Jumbo US 95**



**US91**



**US95**



**US95-AB  
Antibacterial**




**Jumbo US96**



## Landing Push Stations



## Landing indicators



## Other options



AR



Inclined landing indicator



IH **F**

## Car indicators

### LCD Monochrome



**LCD 3"**  
69,7x38x7 mm



**LCD 5"**  
114,4x64,4 mm

### Smartech



**GLE 7"**  
94x155 mm

### LCD Colour



**CIL-035-900**  
(3,5") 71x53 mm

**CIL-043-900**  
(4,3") 95x54 mm

# Gearless Traction MRL Range

	Enviro Progress	Enviro Custo Max	Enviro 1:1	Enviro Trend 1
<b>3D View</b>				
<b>Building Type</b>	 		 	  
<b>Load (Kg)</b>	300 - 630	300 - 630	300 - 630	750 - 1000
<b>Max. Speed (m/s)</b>	1 m/s	1 m/s	1 & 1,6 m/s	1 m/s
<b>Min.pit</b>	900 mm	350 mm*	1100 / 1400 mm	1050 mm
<b>Min. Headroom***</b>	3250 mm	2750 mm+*	3400 / 3700 mm	3250 mm
<b>Roping</b>	2/1	2/1	1/1	2/1
<b>Openings</b>	0° & 180°	0°, 90° & 180°	0°, 90° & 180°	0° & 180°
<b>Sling type</b>	Conventional	Rucksack	Rucksack	Conventional

## GLE products comply with the following standards:

- 98/16/CE
- EN 81-21
- EN 81-70
- EN 81-72
- AS 1735
- EN 81-20:50
- EN 81-28
- EN 81-71
- EN 81-73
- AS 1735.12



Residential



Retailers



Offices



Hospitals



Heavy goods



Public buildings



Refurbishments





Goods lifts

## Enviro Trend 2

## Enviro Trend 3

## Enviro Trend 4

## Enviro Trend XL



300 - 1000

750 - 1275

1275

1350 - 4000

1,6 m/s

1 m/s

1 & 1,6 m/s

1 & 1,6 m/s

1300 mm

1200 mm

1300 / 1400 mm

1300 / 1400 mm

3800 mm

3450 mm (U/S lifting beam)

3600 / 3850 mm

3600 / 4200 mm

2/1

2/1

2/1

2/1 & 4/1

0° & 180°

0°, 90° & 180°

0° & 180°

0° & 180°

Conventional

Rucksack (V)

Conventional

Conventional

\*350 mm EN 81-21 reduced pit for existing buildings.

\*\*2750 mm EN 81-21 reduced headroom for existing buildings.

\*\*\* For car height 2050 mm.

All other configurations upon request. All dimensions are subject to change without prior notice.



### Bespoke design

Full bespoke design service available.



Global Lift Equipment

[www.gle-lifts.com](http://www.gle-lifts.com)



Calle Raos-Galera, 33

39600 Maliaño (Cantabria) · España

Tel. (+34) 942 354 214 • skype: glespain1 • [info@gle.com.es](mailto:info@gle.com.es)

GLE reserves the right to change specifications, options and colours in this catalogue.  
All images in this brochure are for descriptive purposes only, colours and materials may not be exactly as those printed.